


Ausführung J

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
J 12 280	J120280	12	11,00	280	0,03
J 12 330	J120330	12	13,00	330	0,04
J 12 356	J120356	12	14,00	356	0,04
J 12 362	J120362	12	14,30	362	0,04
J 12 381	J120381	12	15,00	381	0,04
J 12 406	J120406	12	16,00	406	0,05
J 12 414	J120414	12	16,30	414	0,05
J 12 432	J120432	12	17,00	432	0,05
J 12 457	J120457	12	18,00	457	0,05
J 12 483	J120483	12	19,00	483	0,05
J 12 508	J120508	12	20,00	508	0,06
J 12 559	J120559	12	22,00	559	0,06
J 12 584	J120584	12	23,00	584	0,07
J 12 610	J120610	12	24,00	610	0,07
J 12 660	J120660	12	26,00	660	0,07
J 12 711	J120711	12	28,00	711	0,08
J 12 723	J120723	12	28,50	723	0,08
J 12 737	J120737	12	29,00	737	0,08
J 12 762	J120762	12	30,00	762	0,09
J 12 813	J120813	12	32,00	813	0,09
J 12 836	J120836	12	32,90	836	0,09
J 12 864	J120864	12	34,00	864	0,10
J 12 914	J120914	12	36,00	914	0,10
J 12 955	J120955	12	37,60	955	0,11
J 12 965	J120965	12	38,00	965	0,11
J 12 1016	J121016	12	40,00	1016	0,11
J 12 1092	J121092	12	43,00	1092	0,12
J 12 1105	J121105	12	43,50	1105	0,12
J 12 1110	J121110	12	43,70	1110	0,12
J 12 1123	J121123	12	44,20	1123	0,13
J 12 1130	J121130	12	44,50	1130	0,13
J 12 1150	J121150	12	45,30	1150	0,13
J 12 1168	J121168	12	46,00	1168	0,13
J 12 1194	J121194	12	47,00	1194	0,13
J 12 1200	J121200	12	47,30	1200	0,13
J 12 1222	J121222	12	48,10	1222	0,14
J 12 1244	J121244	12	49,00	1244	0,14
J 12 1262	J121262	12	49,70	1262	0,14

Ausführung J

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
J 12 1270	J121270	12	50,00	1270	0,14
J 12 1285	J121285	12	50,60	1285	0,14
J 12 1301	J121301	12	51,20	1301	0,15
J 12 1309	J121309	12	51,50	1309	0,15
J 12 1316	J121316	12	51,80	1316	0,15
J 12 1321	J121321	12	52,00	1321	0,15
J 12 1333	J121333	12	52,50	1333	0,15
J 12 1355	J121355	12	53,40	1355	0,15
J 12 1371	J121371	12	54,00	1371	0,15
J 12 1397	J121397	12	55,00	1397	0,16
J 12 1428	J121428	12	56,20	1428	0,16
J 12 1439	J121439	12	56,70	1439	0,16
J 12 1475	J121475	12	58,10	1475	0,16
J 12 1549	J121549	12	61,00	1549	0,17
J 12 1600	J121600	12	63,00	1600	0,18
J 12 1651	J121651	12	65,00	1651	0,18
J 12 1663	J121663	12	65,50	1663	0,19
J 12 1752	J121752	12	69,00	1752	0,20
J 12 1780	J121780	12	70,00	1780	0,20
J 12 1854	J121854	12	73,00	1854	0,21
J 12 1895	J121895	12	74,60	1895	0,21
J 12 1910	J121910	12	75,20	1910	0,21
J 12 1915	J121915	12	75,40	1915	0,21
J 12 1930	J121930	12	76,00	1930	0,22
J 12 1956	J121956	12	77,00	1956	0,22
J 12 1965	J121965	12	77,40	1965	0,22
J 12 1981	J121981	12	78,00	1981	0,22
J 12 1992	J121992	12	78,40	1992	0,22
J 12 2083	J122083	12	82,00	2083	0,23
J 12 2155	J122155	12	84,80	2155	0,24
J 12 2210	J122210	12	87,00	2210	0,25
J 12 2237	J122337	12	92,00	2337	0,26
J 12 2489	J122489	12	98,00	2489	0,28

Andere Rippenanzahl auf Anfrage




Ausführung J

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
J 16 280	J160280	16	11,00	280	0,04
J 16 330	J160330	16	13,00	330	0,05
J 16 356	J160356	16	14,00	356	0,05
J 16 362	J160362	16	14,30	362	0,05
J 16 381	J160381	16	15,00	381	0,06
J 16 406	J160406	16	16,00	406	0,06
J 16 414	J160414	16	16,30	414	0,06
J 16 432	J160432	16	17,00	432	0,06
J 16 457	J160457	16	18,00	457	0,07
J 16 483	J160483	16	19,00	483	0,07
J 16 508	J160508	16	20,00	508	0,08
J 16 559	J160559	16	22,00	559	0,08
J 16 584	J160584	16	23,00	584	0,09
J 16 610	J160610	16	24,00	610	0,09
J 16 660	J160660	16	26,00	660	0,10
J 16 711	J160711	16	28,00	711	0,11
J 16 723	J160723	16	28,50	723	0,11
J 16 737	J160737	16	29,00	737	0,11
J 16 762	J160762	16	30,00	762	0,11
J 16 813	J160813	16	32,00	813	0,12
J 16 836	J160836	16	32,90	836	0,12
J 16 864	J160864	16	34,00	864	0,13
J 16 914	J160914	16	36,00	914	0,14
J 16 955	J160955	16	37,60	955	0,14
J 16 965	J160965	16	38,00	965	0,14
J 16 1016	J161016	16	40,00	1016	0,15
J 16 1092	J161092	16	43,00	1092	0,16
J 16 1105	J161105	16	43,50	1105	0,16
J 16 1110	J161110	16	43,70	1110	0,17
J 16 1123	J161123	16	44,20	1123	0,17
J 16 1130	J161130	16	44,50	1130	0,17
J 16 1150	J161150	16	45,30	1150	0,17
J 16 1168	J161168	16	46,00	1168	0,17
J 16 1194	J161194	16	47,00	1194	0,18
J 16 1200	J161200	16	47,30	1200	0,18
J 16 1222	J161222	16	48,10	1222	0,18
J 16 1244	J161244	16	49,00	1244	0,19
J 16 1262	J161262	16	49,70	1262	0,19

Ausführung J

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
J 16 1270	J161270	16	50,00	1270	0,19
J 16 1285	J161285	16	50,60	1285	0,19
J 16 1301	J161301	16	51,20	1301	0,19
J 16 1309	J161309	16	51,50	1309	0,19
J 16 1316	J161316	16	51,80	1316	0,20
J 16 1321	J161321	16	52,00	1321	0,20
J 16 1333	J161333	16	52,50	1333	0,20
J 16 1355	J161355	16	53,40	1355	0,20
J 16 1371	J161371	16	54,00	1371	0,20
J 16 1397	J161397	16	55,00	1397	0,21
J 16 1428	J161428	16	56,20	1428	0,21
J 16 1439	J161439	16	56,70	1439	0,21
J 16 1475	J161475	16	58,10	1475	0,22
J 16 1549	J161549	16	61,00	1549	0,23
J 16 1600	J161600	16	63,00	1600	0,24
J 16 1651	J161651	16	65,00	1651	0,25
J 16 1663	J161663	16	65,50	1663	0,25
J 16 1752	J161752	16	69,00	1752	0,26
J 16 1780	J161780	16	70,00	1780	0,26
J 16 1854	J161854	16	73,00	1854	0,28
J 16 1895	J161895	16	74,60	1895	0,28
J 16 1910	J161910	16	75,20	1910	0,28
J 16 1915	J161915	16	75,40	1915	0,28
J 16 1930	J161930	16	76,00	1930	0,29
J 16 1956	J161956	16	77,00	1956	0,29
J 16 1965	J161965	16	77,40	1965	0,29
J 16 1981	J161981	16	78,00	1981	0,29
J 16 1992	J161992	16	78,40	1992	0,30
J 16 2083	J162083	16	82,00	2083	0,31
J 16 2155	J162155	16	84,80	2155	0,32
J 16 2210	J162210	16	87,00	2210	0,33
J 16 2337	J162337	16	92,00	2337	0,35
J 16 2489	J162489	16	98,00	2489	0,37





Ausführung L

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
L 8 954	L080954	8	37,50	954	0,27
L 8 991	L080991	8	39,00	991	0,29
L 8 1075	L081075	8	42,30	1075	0,31
L 8 1194	L081194	8	47,00	1194	0,34
L 8 1270	L081270	8	50,00	1270	0,37
L 8 1333	L081333	8	52,50	1333	0,38
L 8 1371	L081371	8	54,00	1371	0,39
L 8 1397	L081397	8	55,00	1397	0,40
L 8 1422	L081422	8	56,00	1422	0,41
L 8 1562	L081562	8	61,50	1562	0,45
L 8 1613	L081613	8	63,50	1613	0,46
L 8 1664	L081664	8	65,50	1664	0,48
L 8 1715	L081715	8	67,50	1715	0,49
L 8 1764	L081764	8	69,50	1764	0,51
L 8 1803	L081803	8	71,00	1803	0,52
L 8 1841	L081841	8	72,50	1841	0,53
L 8 1943	L081943	8	76,50	1943	0,56
L 8 1981	L081981	8	78,00	1981	0,57
L 8 2020	L082020	8	79,50	2020	0,58
L 8 2070	L082070	8	81,50	2070	0,60
L 8 2096	L082096	8	82,50	2096	0,60
L 8 2134	L082134	8	84,00	2134	0,61
L 8 2197	L082197	8	86,50	2197	0,63
L 8 2235	L082235	8	88,00	2235	0,64
L 8 2324	L082324	8	91,50	2324	0,67
L 8 2362	L082362	8	93,00	2362	0,68
L 8 2476	L082476	8	97,50	2476	0,71
L 8 2515	L082515	8	99,00	2515	0,72
L 8 2705	L082705	8	106,50	2705	0,78
L 8 2743	L082743	8	108,00	2743	0,79
L 8 2845	L082845	8	112,00	2845	0,82
L 8 2895	L082895	8	114,00	2895	0,83
L 8 2921	L082921	8	115,00	2921	0,84
L 8 2997	L082997	8	118,00	2997	0,86
L 8 3086	L083086	8	121,50	3086	0,89
L 8 3124	L083124	8	123,00	3124	0,90
L 8 3289	L083289	8	129,50	3289	0,95
L 8 3327	L083327	8	131,00	3327	0,96

Ausführung L

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
L 8 3492	L083492	8	137,50	3492	1,01
L 8 3696	L083696	8	145,50	3696	1,06
L 8 4051	L084051	8	159,50	4051	1,17
L 8 4191	L084191	8	165,00	4191	1,21
L 8 4470	L084470	8	176,00	4470	1,29
L 8 4622	L084622	8	182,00	4622	1,33
L 8 5029	L085029	8	198,00	5029	1,45
L 8 5385	L085385	8	212,00	5385	1,55
L 8 6096	L086096	8	240,00	6096	1,76

Andere Rippenanzahl auf Anfrage



Ausführung L

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
L 12 954	L120954	12	37,50	954	0,41
L 12 991	L120991	12	39,00	991	0,43
L 12 1075	L121075	12	42,30	1075	0,46
L 12 1194	L121194	12	47,00	1194	0,52
L 12 1270	L121270	12	50,00	1270	0,55
L 12 1333	L121333	12	52,50	1333	0,58
L 12 1371	L121371	12	54,00	1371	0,59
L 12 1397	L121397	12	55,00	1397	0,60
L 12 1422	L121422	12	56,00	1422	0,61
L 12 1562	L121562	12	61,50	1562	0,67
L 12 1613	L121613	12	63,50	1613	0,70
L 12 1664	L121664	12	65,50	1664	0,72
L 12 1715	L121715	12	67,50	1715	0,74
L 12 1764	L121764	12	69,50	1764	0,76
L 12 1803	L121803	12	71,00	1803	0,78
L 12 1841	L121841	12	72,50	1841	0,80
L 12 1943	L121943	12	76,50	1943	0,84
L 12 1981	L121981	12	78,00	1981	0,86
L 12 2020	L122020	12	79,50	2020	0,87
L 12 2070	L122070	12	81,50	2070	0,89
L 12 2096	L122096	12	82,50	2096	0,91
L 12 2134	L122134	12	84,00	2134	0,92
L 12 2197	L122197	12	86,50	2197	0,95
L 12 2235	L122235	12	88,00	2235	0,97
L 12 2324	L122324	12	91,50	2324	1,00
L 12 2362	L122362	12	93,00	2362	1,02
L 12 2476	L122476	12	97,50	2476	1,07
L 12 2515	L122515	12	99,00	2515	1,09
L 12 2705	L122705	12	106,50	2705	1,17
L 12 2743	L122743	12	108,00	2743	1,18
L 12 2845	L122845	12	112,00	2845	1,23
L 12 2895	L122895	12	114,00	2895	1,25
L 12 2921	L122921	12	115,00	2921	1,26
L 12 2997	L122997	12	118,00	2997	1,29
L 12 3086	L123086	12	121,50	3086	1,33
L 12 3124	L123124	12	123,00	3124	1,35
L 12 3289	L123289	12	129,50	3289	1,42
L 12 3327	L123327	12	131,00	3327	1,44


Ausführung L

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
L 12 3492	L123492	12	137,50	3492	1,51
L 12 3696	L123696	12	145,50	3696	1,60
L 12 4051	L124051	12	159,50	4051	1,75
L 12 4191	L124191	12	165,00	4191	1,81
L 12 4470	L124470	12	176,00	4470	1,93
L 12 4622	L124622	12	182,00	4622	2,00
L 12 5029	L125029	12	198,00	5029	2,17
L 12 5385	L125385	12	212,00	5385	2,33
L 12 6096	L126096	12	240,00	6096	2,63

Andere Rippenanzahl auf Anfrage



POLY-V KEILRIPPENRIEMEN



Ausführung L

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
L 16 954	L160954	16	37,50	954	0,55
L 16 991	L160991	16	39,00	991	0,57
L 16 1075	L161075	16	42,30	1075	0,62
L 16 1194	L161194	16	47,00	1194	0,69
L 16 1270	L161270	16	50,00	1270	0,73
L 16 1333	L161333	16	52,50	1333	0,77
L 16 1371	L161371	16	54,00	1371	0,79
L 16 1397	L161397	16	55,00	1397	0,80
L 16 1422	L161422	16	56,00	1422	0,82
L 16 1562	L161562	16	61,50	1562	0,90
L 16 1613	L161613	16	63,50	1613	0,93
L 16 1664	L161664	16	65,50	1664	0,96
L 16 1715	L161715	16	67,50	1715	0,99
L 16 1764	L161764	16	69,50	1764	1,02
L 16 1803	L161803	16	71,00	1803	1,04
L 16 1841	L161841	16	72,50	1841	1,06
L 16 1943	L161943	16	76,50	1943	1,12
L 16 1981	L161981	16	78,00	1981	1,14
L 16 2020	L162020	16	79,50	2020	1,16
L 16 2070	L162070	16	81,50	2070	1,19
L 16 2096	L162096	16	82,50	2096	1,21
L 16 2134	L162134	16	84,00	2134	1,23
L 16 2197	L162197	16	86,50	2197	1,27
L 16 2235	L162235	16	88,00	2235	1,29
L 16 2324	L162324	16	91,50	2324	1,34
L 16 2362	L162362	16	93,00	2362	1,36
L 16 2476	L162476	16	97,50	2476	1,43
L 16 2515	L162515	16	99,00	2515	1,45
L 16 2705	L162705	16	106,50	2705	1,56
L 16 2743	L162743	16	108,00	2743	1,58
L 16 2845	L162845	16	112,00	2845	1,64
L 16 2895	L162895	16	114,00	2895	1,67
L 16 2921	L162921	16	115,00	2921	1,68
L 16 2997	L162997	16	118,00	2997	1,73
L 16 3086	L163086	16	121,50	3086	1,78
L 16 3124	L163124	16	123,00	3124	1,80
L 16 3289	L163289	16	129,50	3289	1,89
L 16 3327	L163327	16	131,00	3327	1,92

Ausführung L

Beschreibung	Artikelnr.	Rippen	Nennlänge		kg
			Zoll	mm	
L 16 3492	L163492	16	137,50	3492	2,01
L 16 3696	L163696	16	145,50	3696	2,13
L 16 4051	L164051	16	159,50	4051	2,33
L 16 4191	L164191	16	165,00	4191	2,41
L 16 4470	L164470	16	176,00	4470	2,57
L 16 4622	L164622	16	182,00	4622	2,66
L 16 5029	L165029	16	198,00	5029	2,90
L 16 5385	L165385	16	212,00	5385	3,10
L 16 6096	L166096	16	240,00	6096	3,51

Andere Rippenanzahl auf Anfrage