




ZAHNSTANGEN FÜR FORTLAUFENDE MONTAGE – EINGRIFFSWINKEL 20°




Werkstoff: Stahl C45

Modul x Nennlänge	Artikelnr.	Ist-Länge	Zähnezahl	B x ha	ho	kg
1 x 500	490110050	499,51	159	15 x 15	14	0,8
1 x 1000	490110100	1002,17	319	15 x 15	14	1,6
1 x 2000	490110200	2001,19	637	15 x 15	14	3,3
1 x 3000	490110300	3000,22	955	15 x 15	14	4,9
1,5 x 500	490115050	504,22	107	17 x 17	15,5	1
1,5 x 1000	490115100	1003,74	213	17 x 17	15,5	2,1
1,5 x 2000	490115200	2002,77	425	17 x 17	15,5	4,1
1,5 x 3000	490115300	3001,79	637	17 x 17	15,5	6,1
2 x 500	490120050	502,65	80	20 x 20	18	1,4
2 x 1000	490120100	1005,31	160	20 x 20	18	2,8
2 x 2000	490120200	2004,34	319	20 x 20	18	5,6
2 x 3000	490120300	3003,36	478	20 x 20	18	8,4
2,5 x 500	490125050	502,65	64	25 x 25	22,5	2,2
2,5 x 1000	490125100	1005,31	128	25 x 25	22,5	4,4
2,5 x 2000	490125200	2002,77	255	25 x 25	22,5	8,7
2,5 x 3000	490125300	3000,22	382	25 x 25	22,5	11,9
3 x 500	490130050	508,94	54	30 x 30	27	3,2
3 x 1000	490130100	1008,45	107	30 x 30	27	6,3
3 x 2000	490130200	2007,48	213	30 x 30	27	12,6
3 x 3000	490130300	3006,5	319	30 x 30	27	18,6
4 x 1000	490440100	1005,31	80	30 x 30	26	6
4 x 2000	490440200	2010,62	160	30 x 30	26	11,94
4 x 500	490140050	502,65	40	40 x 40	36	5,6
4 x 1000	490140100	1005,31	80	40 x 40	36	11,2
4 x 2000	490140200	2010,62	160	40 x 40	36	22,4
4 x 3000	490140300	3003,36	239	40 x 40	36	31,3
5 x 500	490150050	502,65	32	50 x 50	45	8,7
5 x 1000	490150100	1005,31	64	50 x 50	45	17,5
5 x 2000	490150200	2010,62	128	50 x 50	45	35
5 x 3000	490150300	3000,22	191	50 x 50	45	52
6 x 1000	490160100	1017,88	54	60 x 60	54	25,2
6 x 2000	490160200	2016,9	107	60 x 60	54	50,4
8 x 1000	490180100	1005,31	40	80 x 80	72	44
8 x 2000	490180200	2010,62	80	80 x 80	72	89



ZAHNSTANGEN FÜR FORTLAUFENDE MONTAGE MIT GEHÄRTETEN ZÄHNEN – EINGRIFFSWINKEL 20°



Werkstoff Stahl C45


Modul x Nennlänge	Artikelnr.	Ist-Länge	Zähnezahl	B x ha	ho	kg
2 x 1000	491120100	1005,31	160	20 x 20	18	2,80
2 x 2000	491120200	2004,34	319	20 x 20	18	5,60
2,5 x 1000	491125100	1005,31	128	25 x 25	22,5	4,40
2,5 x 2000	491125200	2002,77	255	25 x 25	22,5	8,70
3 x 1000	491130100	1008,45	107	30 x 30	27	6,30
3 x 2000	491130200	2007,48	213	30 x 30	27	12,60
4 x 1000	491140100	1005,31	80	40 x 40	36	11,20
4 x 2000	491140200	2010,62	160	40 x 40	36	22,40
5 x 1000	491150100	1005,31	64	50 x 50	45	17,50
5 x 2000	491150200	2010,62	128	50 x 50	45	35,00
6 x 1000	491160100	1017,88	54	60 x 60	54	25,20
6 x 2000	491160200	2016,90	107	60 x 60	54	50,40





ZAHNSTANGEN FÜR FORTLAUFENDE MONTAGE

EINGRIFFSWINKEL 20° – ROSTFREI




Werkstoff: Edelstahl 1.4305

Modul x Nennlänge	Artikelnr.	Ist-Länge	Zähnezahl	B x ha	ho	kg
1 x 1000	494110100	1001,8	319	15 x 15	14	1,6
1 x 2000	494110200	2000,8	637	15 x 15	14	3,3
1,5 x 1000	494115100	1003,3	213	17 x 17	15,5	2,1
1,5 x 2000	494115200	2002,3	425	17 x 17	15,5	4,1
2 x 1000	494120100	1004,8	160	20 x 20	18	2,8
2 x 2000	494120200	2003,8	319	20 x 20	18	5,6
2,5 x 1000	494125100	1004,7	128	25 x 25	22,5	4,4
2,5 x 2000	494125200	2002,2	255	25 x 25	22,5	8,7
3 x 1000	494130100	1007,8	107	30 x 30	27	6,3
3 x 2000	494130200	2006,8	213	30 x 30	27	12,6
4 x 1000	494140100	1004,6	80	40 x 40	36	11,2
4 x 2000	494140200	2009,9	160	40 x 40	36	22,4
5 x 1000	494150100	1004,5	64	50 x 50	45	17,5
5 x 2000	494150200	2009,8	128	50 x 50	45	35





RUND-ZAHNSTANGEN – EINGRIFFSWINKEL 20°



Gerade verzahnt
Durchmesser: h6 geschliffen
Werkstoff Stahl C45


Modul	Artikelnr.	Nennlänge L	D x ha	ho	b1	kg
1	492110050	500	10 x 10	9	6	0,28
1	492110100	1000	10 x 10	9	6	0,56
1	492110200	2000	10 x 10	9	6	1,12
1.5	492115050	500	15 x 15	13,5	9	0,64
1.5	492115100	1000	15 x 15	13,5	9	1,28
1.5	492115200	2000	15 x 15	13,5	9	2,56
2	492120050	500	20 x 20	18,0	12	1,14
2	492120100	1000	20 x 20	18,0	12	2,28
2	492120200	2000	20 x 20	18,0	12	4,52
2.5	492125050	500	25 x 25	22,5	15	1,78
2.5	492125100	1000	25 x 25	22,5	15	3,56
2.5	492125200	2000	25 x 25	22,5	15	7,12
3	492130050	500	30 x 30	27,0	18	2,59
3	492130100	1000	30 x 30	27,0	18	5,14
3	492130200	2000	30 x 30	27,0	18	10,28
4	492140050	500	40 x 40	36,0	24	4,56
4	492140100	1000	40 x 40	36,0	24	9,12
4	492140200	2000	40 x 40	36,0	24	18,24





RUND-ZAHNSTANGEN

EINGRIFFSWINKEL 20° – ROSTFREI



Gerade verzahnt

Durchmesser: h9 gezogen

Werkstoff: Edelstahl 1.4305

Modul	Artikelnr.	Nennlänge L	D x ha	ho	b1	kg
1	493110100	1000	10 x 10	9	6	0,56
1	493110200	2000	10 x 10	9	6	1,12
1,5	493115100	1000	15 x 15	13,5	9	1,28
1,5	493115200	2000	15 x 15	13,5	9	2,56
2	493120100	1000	20 x 20	18,0	12	2,28
2	493120200	2000	20 x 20	18,0	12	4,52
2,5	493125100	1000	25 x 25	22,5	15	3,56
2,5	493125200	2000	25 x 25	22,5	15	7,12
3	493130100	1000	30 x 30	27,0	18	5,14
3	493130200	2000	30 x 30	27,0	18	10,28
4	493140100	1000	40 x 40	36,0	24	9,12
4	493140200	2000	40 x 40	36,0	24	18,24

